



**GOVERNMENT OF ORISSA,  
DEPARTMENT OF WATER RESOURCES,  
OIIAWMIP, 5<sup>th</sup> FLOOR, RAJIV BHAWAN, BHUBANESWAR - 751001**

**ORISSA INTEGRATED IRRIGATED AGRICULTURE AND WATER MANAGEMENT  
INVESTMENT PROGRAMME FOR IMPLEMENTATION OF MLIPs FUNDED BY OFID OUT OF  
MULTI TRANCHE FINANCING FACILITY LOAN FROM ASIAN DEVELOPMENT BANK (ADB)**

---

**QUOTATION DOCUMENTS FOR PROCUREMENT OF  
MATERIALS FOR REVIVAL / IMPROVEMENT OF  
MINOR LIFT IRRIGATION PROJECTS  
IN BHADRAK, BALASORE, MAYURBHANJ AND JAJPUR DISTRICTS**

**PACKAGE NO. MLI –IV/ 2014-15**

**CE-Cum- PROJECT DIRECTOR,  
PROJECT MANAGEMENT UNIT (PMU)  
ORISSA INTEGRATED IRRIGATED AGRICULTURE  
AND  
WATER MANAGEMENT INVESTMENT PROGRAMME (OIIAWMIP)**

**Jan. 2015**

## Contents

Sl. No.	Section	Contents	Page No.
1.	Section - I	Instructions to Bidders	1-5
2.	Section - II	Terms & Conditions of Supply	6-8
3.	Section – III	Technical Specifications of Main Switch, TD Cable & Capacitor	9
4	Section – IV	Technical Particulars for Main Switch, TD Cable & Capacitor	10-13
5	Section – V	Appraisal Note for Main Switch, TD Cable & Capacitor	14 -16
6	Section – VI	Price Schedule of Main Switch, TD Cable & Capacitor	17
4.	Section – VII	List of L.I. Projects in Bhadrak, Balasore, Mayurbhanj and Jajpur District with Requirement of Materials	18-28
5	Section – VIII	Performance Guarantee for Cable & Capacitor	29

Client

Signature of the Bidder

## SECTION – I

### INSTRUCTIONS TO BIDDERS

**(For Supply of 63Amp. Main Switch, 10 & 16 Sq.mm. TD Cable, 4 KVA Capacitor)**

1. **63Amp. Main Switch:**       **425 Nos.**
2. **10 Sqmm. TD Cable:**       **8635 meter**
3. **16 Sqmm. TD Cable:**       **1720 meter**
4. **4 KVA Capacitor:**       **33 Nos.**

1.	<b>Last date of sale of Quotation schedule:</b>	Up to 11.30 A.M. of 04.02.2015
2.	<b>Time and last date of receipt of Quotation:</b>	Up to 1.30 P.M. of 05.02.2015
3.	<b>Time &amp; date of opening of Quotation:</b>	At 3.30 P.M. of 05.02.2015
4.	<b>Place at which Quotation paper will be available:</b>	Office of the Deputy Director, C & QCS and Dam Safety Division (Medium Project) Bhubaneswar / Chief Engineer-cum-Project Director, Project Management Unit, 5 <sup>th</sup> Floor, Rajiv Bhawan, Bhubaneswar.
5.	<b>Place at which Quotation will be received:</b>	Office of the Deputy Director, C & QCS and Dam Safety Division (Medium Project) Office of the EIC, Secha Sadan, Bhubaneswar / Chief Engineer-cum-Project Director, Project Management Unit, 5 <sup>th</sup> Floor, Rajiv Bhawan, Bhubaneswar.
6.	<b>Participants in the Quotation:</b>	The manufacturer/registered dealer /distributor of TD Cable, Main Switch and Capacitor.
7.	<b>Country of Origin:</b>	Goods and related services to be supplied under this contract shall have their country of origin an eligible member of ADB.
8.	<b>Standard:</b>	The materials shall conform to the latest publication of relevant Indian Standard Specifications which should be mentioned in the quotation. The material should be BIS / ISI marked.

9.	<b>Guarantee:</b>	<p>The materials covered by this Specification should be guaranteed at least for satisfactory operation for a period of 18 (eighteen) months from the date of supply or 12 (twelve) months from the date of use whichever is earlier. Any defect noticed during this period should be rectified/materials replaced by the supplier free of cost to the Implementing Agency (I.A.) provided such defects are traced to be due to faulty design, bad workmanship or bad materials used. A performance guarantee is required to be furnished in this regard in the prescribed proforma (to be attached) with the quotation within 7 days of issue of purchase order.</p> <p>The quotationer should provide guarantee for followings.</p> <ul style="list-style-type: none"> <li>i. Quality and strength of material used / full set as a whole.</li> <li>ii. Safe mechanical and electrical strength of all parts of equipment as required under relevant I.S.</li> <li>iii. Satisfactory operation during guarantee period.</li> </ul> <p>Performance figures to be specified by the quotationer.</p>
10.	<b>Rates:</b>	<p>The percentage rate should be quoted in the price schedule for delivery of materials at different L.I Points in the district of Bhadrak, Balasore, Mayurbhanj and Jajpur situated inside the State of Orissa inclusive of freight packing, forwarding, loading, unloading, stacking and insurance charges but exclusive of excise duty, sales tax or VAT. <b>The quotationer is also required to furnish separately the amount of excise duty, sales tax or VAT payable in the proforma prescribed at “Section- VI only or else their offer shall be liable for rejection. The list of L.I Points is enclosed.</b></p> <p>The excise duty on the materials to be supplied will be payable on production of documentary evidence. The rate of Central Sales Tax or VAT will be paid ruling at the time of delivery. Claim for any rise in excise duty, Central Sales Tax or VAT after the stipulated delivery period will not be entertained. Entry tax will be paid extra as applicable on production of documentary evidence.</p>
11.	<b>Make &amp; Brand:</b>	<p>The make and brand of the Main Switch, Cable and Capacitor should be reputed and be mentioned in the offer.</p>
12.	<b>Quantity Restriction:</b>	<ul style="list-style-type: none"> <li>I. Quantities indicated in the enclosed Bill of quantity are approximate and likely to increase or decrease not more than 25%.</li> <li>II. The quotation received for part quantity / part items will be treated as incomplete quotation and such quotation shall be rejected.</li> </ul>
13.	<b>Validity:</b>	<p>The offer should remain valid for a period of 180 days from the date of opening of quotation.</p>

14.	<b>Agreement:</b>	The supplier whose quotation is accepted is required to execute an agreement in the prescribed form within 7 (seven) days from the date of issue of purchase order and prior to commencement of delivery of materials.
15.	<b>Earnest Money Deposit :</b>	The quotation document must be accompanied with earnest money of the amount as mentioned in the quotation notice to be deposited in shape of NSC / Postal Savings Bank Pass Book Account / Post office Time Deposit Account / / Deposit Receipt of schedule Bank duly pledged in favour of Deputy Director, C&QCS, Dam Safety Division (Medium Project), Bhubaneswar in the absence of which the quotation will be rejected. EMD in any other form will not be accepted. Request for adjustment of outstanding deposit towards earnest money deposits will not be entertained. Earnest money will be refunded to the unsuccessful Quotationer only after the quotation is finalised and on receipt of written application from the Quotationer.
16.	<b>VAT &amp; PAN:</b>	Attested copies of valid up to date Orissa VAT clearance certificate in Form-612 and PAN should be enclosed with the quotation without which the quotation is liable for rejection. The foreign Companies / bidder from outside the State, who intend to participate in the quotation but not registered under Section 99 of VAT Act are allowed to participate in the quotation without having any VAT clearance certificate subject to condition that they should submit undertaking in form of affidavit indicating that they are not registered under the VAT Act because they don't have any business in the State of Orissa and they have no liability under the Act as they have not started any business in the State of Orissa before award of contract. In absence of Orissa VAT clearance the quotationers from outside state have to submit Central Sales Tax clearance certificate, failing which the quotation will be liable for rejection.
17.	<b>Fraud and Corruption:</b>	<p>ADB's Anticorruption Policy requires borrowers ( including beneficiaries of ADB- financed activity), as well as bidders, suppliers, and contractors under ADB- financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the ADB:</p> <p><b>a.</b> defines, for the purposes of this provision, the terms set forth below as follows :</p> <p><b>(i)</b> "Corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;</p> <p><b>(ii)</b> "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;</p>

		<p><b>(iii)</b> “coercive practice” means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;</p>
		<p><b>(iv)</b> “Collusive practice” means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party.</p>
		<p><b>b.</b> will reject a proposal for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract: and.</p>
		<p><b>c.</b> will sanction a party or its successor, including declaring ineligible, either indefinitely or for a stated period of time, to participate in ADB-financed activities if it at any time determines that the firm has, directly or through an agent, engaged in corrupt, fraudulent, collusive, or coercive practices in competing for, or in executing, an ADB-financed contract.</p>
		<p><b>d.</b> Will have the right to require that a provision be included in Bidding Documents and in contracts financed by an ADB Loan, requiring bidders, suppliers, contractors and consultants to permit the ADB to inspect their accounts and records and other documents relating to the Bid submission and contract performance and to have them audited by auditors appointed by the ADB.</p>
<b>18.</b>	<b>Interpretation:</b>	The decision of CE-cum-PD, PMU, OIIAWMIP, shall be final, binding and conclusive on all questions relating to the interpretation of the specification.
<b>19.</b>	<b>After sale service:</b>	Quotationer is required to declare the complete address of their service centers and dealers network to render prompt after sale service as and when required by the Pani Panchayat/ WUA.
<b>20.</b>	<b>Important Note:</b>	<p><b>a.</b> Imposition of any unacceptable condition beyond the above clauses after opening of Quotation will result in rejection of such Quotation along with forfeiture of EMD.</p>

	<p><b>b.</b> Any loose papers found separately in the quotation box or attached to the envelope containing the quotation received at the time of opening of the quotation will not be accepted and such quotation will be treated as incomplete quotation and shall be liable for rejection.</p> <p><b>c.</b> Telegraphic/E-Mail/Fax quotations not be accepted.</p> <p><b>d.</b> The authority shall not be responsible for any postal delay which may occur in postal delivery of quotation documents and its receipt in either case, if it doesn't reach in time.</p>
<b>21.</b>	Authority reserves the right to reject any or all quotations or to accept any Quotation or to distribute the orders among Quotationers without assigning any reason thereof.
<b>22.</b>	The percentage rates should be quoted in the space given in the bill of quantities both in figures and words. In case of any discrepancy between these two, the words shall prevail.
<b>23.</b>	The Quotationer should read carefully the quotation schedule containing the terms and conditions, specifications in appropriate sections and sign the quotation schedule in each page and furnish along with the offer in original as a token of acceptance of the terms and conditions.
<b>24.</b>	Preference will be given to the brands/make having state wide <b>After Sales Service</b> centers and dealers network.
<b>25.</b>	The bidders are to furnish the similar nature of supply or contract made with other department/agencies and quantum of supply they have successfully completed. They should submit the completion certificate along with the quotation.

## **SECTION – II**

### **TERMS & CONDITIONS OF SUPPLY**

#### **1. Security Deposit:**

The successful quotationer is required to deposit 5% of the value of supply when it is up to Rs.2.00 lakhs and 7% of the order above Rs.2.00 lakhs towards security deposit for satisfactory completion of supplies. The earnest money deposited with the quotation shall be adjusted towards this security deposit and the balance amount of security shall be deposited in shape of pledged NSC /KVP /Orissa Govt. Loan Bond / DD from any Nationalised Bank drawn and duly pledged in favour of Deputy Director, C and QCS & Dam Safety (Medium Project) Division, Bhubaneswar prior to execution of Agreement.

- I. The above security deposit shall be retained for a period of 18 (eighteen) months from the date of supply of last consignment or 12 months from the date of use whichever is earlier. .
- II. All damages payable by the supplier under the terms of the contract may be deducted by the Paying Officer/ Purchasers from the security deposit and / or from any other sums due or will become due to them by the PMU, without prejudice to the other courses recovery open to the PMU for the total sums due under the contract/purchase order.
- III. In the event of any breach or default in all or any of the conditions set forth in the purchase order, the purchaser reserves the right to forfeit the whole amount of security deposit and EMD which shall not in any way effect, limit or extinguish any remedy or relief to which the purchaser may at any time be lawfully entitled to.

#### **2. Delivery:**

The firm is required to complete the supply of materials mentioned in the supply order to different L.I. Points of the district within 45 (forty-five) days from the date of issue of purchase order.

#### **3. Penalty:**

- (i) The firm is required to deliver the materials within the above mentioned delivery period. If supply is not completed within the stipulated delivery period, the firm will be liable to a penalty of 1% (one percent) per week for the value of the materials remaining undelivered after the due date subject to a maximum period of 30 days. The amount shall be deducted from their bill or security deposit.
- (ii) The delivery will not be considered complete until the supplier shall have removed all rejected materials and shall have the approved materials attached or placed in position as may be pointed out to him.
- (iii) The materials shall remain at the risk of the Supplier till the date for final acceptance by the Pani Panchayat / Water Users Association.



#### **4. Cancellation:**

In every case in which the delivery is delayed partly or fully, the purchaser possesses the power to cancel the purchase order, without prejudice to the purchaser's rights to levy and recover penalty as per para (3), to have the supply completed otherwise without further notice to the firm at the Supplier's risk and expenses as the purchaser may deem best to the interest of the Implementing Agency (I.A.) and the supplier shall have no claim for compensation on any ground what-so-ever. Delay in excess of 30 days will lead to termination of contract and forfeiture of security deposit.

#### **5. Extension of time:**

If the firm shall be hindered in the supply of the materials so as to necessitate an extension of the delivery time to be allowed in respect of the purchase order, they shall apply in writing at least one week before the stipulated last date of delivery, indicating sufficient reasons which hindered their delivery schedule to the purchaser who may grant it in writing without levy of damages if the purchaser is satisfied that the delay is due to force majeure condition. Without such written authority of the purchaser, the penalty will be leviable under clause 3(i).

#### **6. Packing:**

The supplier shall be responsible for adequate and proper packing of all the materials and accessories in order to ensure safe delivery without damage.

#### **7. Insurance:**

The insurance of materials covered under this specification should be done at the Supplier's own risk. The responsibility of delivery of materials at destination in good condition rests with the Supplier. Any claim with the insurance company or Railway authorities, arising due to loss or damage in transit has to be settled by the Supplier. The firm shall undertake free replacement of materials damaged or lost on transit which will be reported to the Supplier within 15 (fifteen) days of receipt of the materials.

#### **8. Physical verification of materials / Main Switch, Cable and Capacitor:**

Physical verification of materials/ / Main Switch, Cable and Capacitor should be done in between 10.00 AM to 5.00 PM on any working day after arrival of materials at site. Any shortage or damages should be verified in presence of the supplier's representative and six copies of damage or shortage certificate should be prepared and signatures be obtained from the representative of the Supplier and copies of such certificates should be sent to (i ) the firm(ii) Deputy Director, C & QCS and Dam Safety Division (Medium Project) Bhubaneswar (iii) CE-cum-PD, PMU, OIIAWMIP, 5th floor Rajeev Bhawan, Bhubaneswar (iv) concerned SIO Manager (v) concerned A.Es of OLIC deputed to the project (vi) concerned J.Es of OLIC deputed to the project . It is the responsibility of the Supplier to direct their representative accordingly.

#### **9. Defective and non-standard material:**

In the event of materials / equipments supplied are found by the Consignee / Purchaser to be inferior than that described in the specification or not in accordance with approved samples then the Supplier shall, on demand in writing forth with, remove the same at their own charge and cost and in the event of their neglecting to do so within such period as may be stated by the Consignee / Purchaser such rejected materials shall be removed at the Supplier's risk and the expenses incurred thereof shall be deducted from any due or which may become due to the supplier or from the security deposit.

**10. Price:** Prices are firm and fixed and not subject to any adjustment during the contract performance

#### **11. Payment:**

- I. Payment will be made by the Deputy Director C & QCS Dam Safety (Medium Project) Division, Bhubaneswar after proper and full receipt of materials/equipment and with successful random test result duly approved by CE-cum-PD, PMU.
- II. 90% (ninety) of the cost of materials delivered & accepted by the Consignee and 100% of the taxes will be paid after verification of the materials with reference to terms & conditions of the purchase order, within 30 days from the date of receipt of the materials in good condition. The balance 10% will be paid after getting the satisfactory performance report from the concerned SIOs after six months of supply of materials.

#### **12. Settlement of Dispute:**

- I. The purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- II. If the parties fail to resolve such a dispute or difference by mutual consultation within twenty eight (28) days from the commencement of such dispute, either party may require that the dispute be referred for resolution to the formal mechanism specified below.

#### **13. Mechanism for Dispute Resolution:**

Any dispute or difference arising out of this Contract or in connection therewith which cannot be amicably settled in accordance with Clause mentioned above, finally be settled in accordance with the laws of the purchaser's country. The arbitration shall take place in the location at Bhubaneswar. The resulting award shall be final and binding on the Parties and shall be in lieu of any other remedy.

#### **14. Subletting of contract:**

This contract shall not be sub-let or transferred to any other party or supplier. In the event of supplier subletting their contract they shall be considered to have thereby committed a breach of contract and their security deposit shall be forfeited.

## SECTION - III

### TECHNICAL SPECIFICATIONS OF MAIN SWITCH, TD CABLE AND CAPACITOR

<b>1.</b>	<b>Scope:</b>	<p>This specification covers the manufacture, testing and supply of</p> <p>a) Three cored, PVC insulated armoured aluminium (Heavy Duty) electric cable for working voltage up to and including 1.1 KV with BIS marked with to IS: 1554(Part-I) 1988 and its latest amendments.</p> <p>b) 63 Amp. Main Switch for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.</p> <p>c) 4 KVA Capacitor for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.</p>		
<b>2.</b>	<b>Technical Particulars:</b>	<p>The cable offered should be suitable for operation on AC Three phase (Earthed or Uearthed) system for rated voltage up to and including 1100 volts at a frequency of 50 Hz. The cable offered should be able to operate continuously at a power frequency voltage 10 percent higher than the rated voltage.</p> <p>The detailed technical particulars in respect of Main Switch, cable and Capacitor offered should be furnished in duplicate in the prescribed form at <b>Section- IV</b></p>		
<b>3.</b>	<b>Technical Literature and drawings :</b>	<p>The Quotation should furnish detailed technical literature and drawing indicating there in the nature of materials used during manufacture, facilities for testing of the materials and its various use in the field.</p>		
<b>4.</b>	<b>Schedule of Requirements:</b>	<b>Description of materials</b>	<b>No. of cores and Nominal cross sectional Area of each conductor.</b>	<b>Quantity</b>
		63 Amp. Main Switch suitable for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.	—	425 Nos.
		PVC insulated (Heavy Duty) armoured electric cable with aluminium conductor for use in Three phase system of working voltage up to and including 1100 volts at 50Hz with BIS mark IS: 1554(Part-I) 1988 and its latest amendments.	3 x 10 core	8635 Mtr.
			3 x 16 core	1720 Mtr.
		KVA Capacitor suitable for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.	—	33 Nos.

## Section – IV

### TECHNICAL PARTICULARS FOR 63 Amp. MAIN SWITCH

63 Amp. Main Switch suitable for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.

(The Quotationers are required to fill up the following information and submit the same in duplicate along with Quotation)

Sl. No.	Description	
1.	Name of the manufacturers	
2.	Type of Main Switch	
3.	Voltage grade	
4.	System suitability (State earthed and/or unearthed)	
5.	Permissible variation in percentage	
	a. In voltage	
	b. In frequency	
6.	Minimum thickness of inner	
7.	Material of inner	
8.	Nominal thickness of outer	
9.	Approx overall size of Main Switch	
10.	Any Other information	

## TECHNICAL PARTICULARS FOR PVC INSULATED CABLE

Guaranteed technical particulars of PVC insulated (Heavy Duty) armored Electric cable with aluminium conductor for use in three phase system of working voltage up to and including 1100 volts 50Hz with BIS marked ( IS : 1554 (Part-I/1988) only.

(The Quotationers are required to fill up the following information and submit the same in duplicate along with Quotation)

Sl. No.	Description	3 x 10 mm <sup>2</sup>	3 x 16 mm <sup>2</sup>
1.	Name of the manufacturers		
2.	Type of cable		
3.	Voltage grade		
4.	System suitability (State earthed and/or unearthed)		
5.	Permissible variation in percentage	c. In voltage	
		d. In frequency	
6.	Conductor	a. Material	
		b. Dia of conductor	
		c. Shape	
		d. Nominal cross sectional area of each conductor in Sq. mm.	
7.	Insulation	a. Composition	
		b. Type of insulation	
		c. Nonrigid thickness	
8	Inner sheath	a. Material	
		b. Type of inner sheath	
9.	Armouring	a. Armouring	
		b. Nominal dia of wire/strip in	
		c. Calculated dia over armouring	

<b>10.</b>	Outer sheath	a. Composition		
		b. Type		
<b>11.</b>	Finished cable	a. Nominal overall dia of cable in mm.		
		b. Approximate overall weight of cable in Kg		
		c. Approximate gross weight of cable drum in Kg.		
<b>12.</b>	Minimum thickness of inner			
<b>13.</b>	Material of inner			
<b>14.</b>	Nominal thickness of outer			
<b>15.</b>	Approx overall dia of cable			

## TECHNICAL PARTICULARS FOR 4 KVA CAPACITOR

KVA Capacitor suitable for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.

(The Quotationers are required to fill up the following information and submit the same in duplicate along with Quotation)

Sl. No.	Description	
1.	Name of the manufacturers	
2.	Type of Capacitor	
3.	Voltage grade	
4.	System suitability (State earthed and/or unearthed)	
5.	Permissible variation in percentage	
	e. In voltage	
	f. In frequency	
6.	Minimum thickness of inner	
7.	Material of inner	
8.	Nominal thickness of outer	
9.	Approx overall size of Main Switch	
10.	Any Other information	

## SECTION – V

### APPRAISAL NOTE FOR CABLE

(Strike out which is not applicable)

Sl. No.	Item	To be filled by the quotationer			
		63 Amp. Main Switch	TD Cable		4 KVA Capacitor
			3 x 10 mm <sup>2</sup>	3 x 16 mm <sup>2</sup>	
1.	Technical Specification: a) 63 Amp. Main Switch b) PVC armoured aluminium Cable.(BIS marked) only: c) 4 KVA Capacitor  (Please indicate technical specification of materials, you are able to supply).				
2.	Whether having BIS marked.				
3.	Whether having ISO Certification or other International Standards Certification:				
4.	Annual Production Capacity:	a. Value			
		b. Quantity			
5.	a. Whether Trader / Manufacturer:				
	b. If Manufacturer, location of Manufacturing Unit				
6.	a. Please Quote Company registration No. and Date and furnish a copy of registration certificate.				
	b. Status of firm (please Mention Company/Firm/Propriety)				
	c. Name & address of Directors.				
7.	Names and Address of Authorised				

**Client**

**Signature of the Bidder**



Sl. No.	Item	To be filled by the quotationer			
		63 Amp. Main Switch	TD Cable		4 KVA Capacitor
			3 x 10 mm <sup>2</sup>	3 x 16 mm <sup>2</sup>	
	dealers in State of Orissa. (List should be enclosed)				
8.	Names and addresses of after Sales service centers in the State.				
9.	Minimum time required in days For supply of Goods form Date of issue of Purchase Order.				
10.	Up-to-date attested copies of				
	a. PAN No.				
	b. VAT valid up to				
	c. Whether the firm will claim CST				
11.	List of past supplies to various organisations with quantity and amount of supplies with copies of documentary evidence during last 3 years and with performance certificate from at least 3 such organisation.				
	a. No. of Organisations				
	b. Qty. supplies in last 3 years				
	c. Amount of order received				
	d. Delivery time				
	e. Value of order executed.				
12.	Whether the firm is having its own Laboratory for testing of Goods. Name and address to be stated.				
	a. Name of Laboratory				

Client

Signature of the Bidder

Sl. No.	Item	To be filled by the quotationer				
		63 Amp. Main Switch	TD Cable		4 KVA Capacitor	
			3 x 10 mm <sup>2</sup>	3 x 16 mm <sup>2</sup>		
	b. Address					
13.	Any other special design, material, Performance or maintenance, Features in order to claim advantage (please attach brochures).					
14.	Guarantee Period of materials you intend to supply.					
	a. Period of Guarantee form date of supply					
	b. Whether replacement can be done by firm at its own cost during guarantee period					
15.	Specify maximum quantity and value of supplies executed in a year (during past 3 years)	i.	Quantity			
			Value			
		ii.	Quantity			
			Value			
		iii.	Quantity			
			Value			
16.	Whether the manufacturer/ Supplier can impart training on operation and maintenance (for suppliers of starters).					
17.	Type of maintenance or inspection contract offered.					

## SECTION- VI

### PRICE SCHEDULE OF CABLE

Package No. MLI –XIV / 2014-15

District: Bhadrak, Balasore, Mayurbhanj and Jajpur

The Quotationers are required to fill up the following.

#### Price schedule for Procurement of 63 Amp. Main Switch, 3x10mm<sup>2</sup> TD Cable, 3x16mm<sup>2</sup> TD Cable and 4 KVA Capacitor

Scope of Work					
Sl. No.	Item	Unit	Quantity	Total Estimated Cost (Rs.)	Remarks
1	63 Amp. Main Switch suitable for working 7.5 to 12.5 hP submersible/Mono block pump sets with ISI mark.	No.	425	1785000.00	
2	Guaranteed technical particulars of PVC insulated (Heavy Duty) armored Electric cable with aluminium conductor for use in three phase system of working voltage up to and including 1100 volts 50Hz with BIS marked ( IS : 1554 (Part-I/1988) only.- <b>3x10mm<sup>2</sup></b>	Mtr.	8635	949850.00	
3	Guaranteed technical particulars of PVC insulated (Heavy Duty) armored Electric cable with aluminium conductor for use in three phase system of working voltage up to and including 1100 volts 50Hz with BIS marked ( IS : 1554 (Part-I/1988) only.- <b>3x16mm<sup>2</sup></b>	Mtr.	1720	240800.00	
4	4 KVA Capacitor suitable for working 7.5 to 12.5 HP submersible/Mono block pump sets with ISI mark.	No.	33	31350.00	
<b>Total</b>				<b>3007000.00</b>	

(Rupees thirty lakh seven thousand only)

I am willing to supply the above materials at

- (i) % Excess (in Word)
- (ii) % Less (in Word)
- (iii) Equal to the above estimated cost.

Full Signature of the Quotationer  
Date:-

CE-cum-PD, PMU, BBSR

**Client**

**Signature of the Bidder**

## SECTION- VII

### List of LI Projects in Bhadrak, Balasore, Mayurbhanj and Jajpur District with Requirement of Main Switch, TD Cable and Capacitor

Package No. MLI –IV / 2014 -15

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
1	Bahanaga- II	TW	Bahanaga	Balasore	Imp.	1	20	0	
2	Balarampur-II	TW	Bahanaga	Balasore	Imp.	1	0		
3	Basuberhampur II	TW	Bahanaga	Balasore	Imp.	1	30	0	
4	Dandaharipur- II	TW	Bahanaga	Balasore	Imp.	1	20	0	
5	Dandaharipur- III	TW	Bahanaga	Balasore	Imp.	1	20	0	
6	Gopalpur-III	TW	Bahanaga	Balasore	Imp.	1	20	0	
7	Manakahani	TW	Bahanaga	Balasore	Imp.	1	20	0	
8	Mugunipur- I	TW	Bahanaga	Balasore	Imp.	1	30	0	
9	Mugunipur- III	TW	Bahanaga	Balasore	Imp.	1	20	0	
10	Nayakbandha	TW	Bahanaga	Balasore	Imp.	1	20		
11	Odasala -X	TW	Bahanaga	Balasore	Imp.	1	20	0	
12	Odasala-V	TW	Bahanaga	Balasore	Imp.	1		20	
13	Odasal-IV	TW	Bahanaga	Balasore	Imp.	1		20	
14	Pandaharipur -II	TW	Bahanaga	Balasore	Imp.	1	20	0	
15	Pandasuni -IV	TW	Bahanaga	Balasore	Imp.	1	20	0	
16	Pandasuni -V	TW	Bahanaga	Balasore	Imp.	1	20	0	
17	Patharpentha-III	TW	Bahanaga	Balasore	Imp.	1	20		
18	Patna - II	TW	Bahanaga	Balasore	Imp.	1	20	0	
19	Patna-I	TW	Bahanaga	Balasore	Imp.	1	20		
20	R.pur Patna - I	TW	Bahanaga	Balasore	Imp.	1	30	0	
21	R.pur Patna - II	TW	Bahanaga	Balasore	Imp.	1	30	0	
22	Rasulpur (Nahar Patna)	TW	Bahanaga	Balasore	Imp.	1	20		1
23	Sarasatia-IV	TW	Bahanaga	Balasore	Imp.	1	20		1
24	Sathi-I	TW	Bahanaga	Balasore	Imp.	1			1
25	Sipura-II	TW	Bahanaga	Balasore	Imp.	1	20		
26	Sipura-III	TW	Bahanaga	Balasore	Imp.	1	20	0	1
27	Sipura-IV	TW	Bahanaga	Balasore	Imp.	1	20	0	1
28	Uttarkuanr	TW	Bahanaga	Balasore	Imp.	1	20	0	
29	Villa	TW	Bahanaga	Balasore	Imp.	1		20	
30	Rasalpur-II	TW	Balasore	Balasore	Revival	1	20		
31	Gengutisan	TW	Khaira	Balasore	Imp.	1	30		
32	Mirzapur-I	RL	Khaira	Balasore	Imp.	1		30	
33	Mirzapur-II	RL	Khaira	Balasore	Imp.	1		30	
34	Raikula-II	TW	Khaira	Balasore	Imp.	1	30		
35	Tuto-II	TW	Khaira	Balasore	Imp.	1	30		
36	Baincha Narayanpur-II	RL	Nilagiri	Balasore	Revival	1		20	1
37	Balisahi-II	RL	Nilagiri	Balasore	Imp.	1		30	
38	Karanja	RL	Nilagiri	Balasore	Imp.	1		20	1
39	Kusunpur	RL	Nilagiri	Balasore	Imp.	1		30	1

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
40	Naduapal	RL	Nilagiri	Balasore	Imp.	1		20	1
41	Raghunathpur	RL	Nilagiri	Balasore	Imp.	1		30	1
42	Singiri-I	RL	Nilagiri	Balasore	Imp.	1		30	1
43	Junakouili	RL	Nilagiri	Balasore	Revival	1		30	
44	Kansa-III	TW	Nilagiri	Balasore	Revival	1	20		
45	Kathapal	RL	Nilagiri	Balasore	Revival	1		20	
46	Kulhapal	RL	Nilagiri	Balasore	Revival	1		20	1
47	Bahabalpur-II	TW	Oupada	Balasore	Imp.		20		1
48	Bahabalpur-III	TW	Oupada	Balasore	Imp.		20		1
49	Baunsabania-III	TW	Oupada	Balasore	Imp.	1		20	
50	Dwarika	TW	Oupada	Balasore	Imp.	1	30		1
51	Raigaon-I - KFW	TW	Oupada	Balasore	Imp.		20		
52	Raigan-II	TW	Oupada	Balasore	Imp.	1	20		
53	Ajodhyanagarpatna-III	TW	Remuna	Balasore	Revival	1	20		
54	Bartana-V	TW	Remuna	Balasore	Imp.	1	20		1
55	Bhadrasia	TW	Remuna	Balasore	Imp.	1			1
56	Biruan-III	TW	Remuna	Balasore	Imp.	1	20		1
57	Biruan-IV	TW	Remuna	Balasore	Imp.	1	20		1
58	Boduan-I	TW	Remuna	Balasore	Imp.	1	30		1
59	Boduan-III	TW	Remuna	Balasore	Imp.	1	30		1
60	Chilapada	TW	Remuna	Balasore	Imp.	1	20		
61	Dikhapada-I	TW	Remuna	Balasore	Imp.	1	20		
62	Hiratikiri-III	TW	Remuna	Balasore	Imp.	1	20		1
63	Kasinota	TW	Remuna	Balasore	Imp.	1	20		
64	Makanda-III	TW	Remuna	Balasore	Imp.	1	30		1
65	Medinipur-I	TW	Remuna	Balasore	Imp.	1	20		
66	Naraharipur-II	TW	Remuna	Balasore	Imp.	1	20		
67	Pahadpur-I	TW	Remuna	Balasore	Imp.	1	20		1
68	Sasanpada-III	TW	Remuna	Balasore	Revival	1	30		1
69	Somanathpur-I	TW	Remuna	Balasore	Imp.	1	20		1
70	Somanathpur-II	TW	Remuna	Balasore	Imp.	1	20		1
71	Somanathpur-III	TW	Remuna	Balasore	Revival	1	20		1
72	Somanathpur-IV	TW	Remuna	Balasore	Revival	1	20		
73	Srijang-V	TW	Remuna	Balasore	Imp.	1	20		
74	Telibadi(KFW)	TW	Remuna	Balasore	Imp.	0	20		
75	Bhimpur - I	TW	Sadar	Balasore	Imp.	1	20	0	
76	Bhimpur - V	TW	Sadar	Balasore	Imp.	1	20	0	
77	Buan-I	TW	Sadar	Balasore	Imp.	1	20		
78	Chaulachhada	TW	Sadar	Balasore	Revival	1	30		1
79	Deepalpal-I	TW	Sadar	Balasore	Revival	1	20		
80	Jayadevkasba-III	TW	Sadar	Balasore	Revival	1	20		
81	Kaudipur -I	TW	Sadar	Balasore	Imp.	1	20		
82	Odangai-I	TW	Sadar	Balasore	Revival	1	20		
83	Odangai-III	TW	Sadar	Balasore	Imp.	1	20		
84	Padmapur-I	TW	Sadar	Balasore	Imp.	0	20		
85	Padmapur-II	TW	Sadar	Balasore	Imp.	1	20		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
86	Padmapur-V	TW	Sadar	Balasore	Imp.	1	0		
87	Pakharsaun-I	TW	Sadar	Balasore	Revival	1	20		
88	Rasalpur-IV	TW	Sadar	Balasore	Imp.	0	20		
89	Srirampur	TW	Sadar	Balasore	Imp.	1	20	0	
90	Susa -II	TW	Sadar	Balasore	Imp.	1	20	0	
91	Athilamal	TW	Sadar	Balasore	Imp.	1	30		1
92	Terugaon	TW	Sadar	Balasore	Imp.	1	30		1
93	Nischinta-I	TW	Simulia	Balasore	Imp.	1	30	0	
94	Nischinta-II	RL	Simulia	Balasore	Imp.	1		30	
95	Simulia	TW	Simulia	Balasore	Imp.	1	0	60	
96	Anantapur-IV	TW	Soro	Balasore	Revival	1	20		1
97	Mulkaida-II	TW	Soro	Balasore	Revival	1	30		1
98	Dagarpada	TW	B. Pokhari	Bhadrak	Revival	1	30		
99	Dahala	TW	B. Pokhari	Bhadrak	Revival	1	30		
100	Joragadia-A-II	TW	B. Pokhari	Bhadrak	Revival	1	30		
101	Kumbhari Nuasahi	TW	B. Pokhari	Bhadrak	Revival	1	30		
102	Megha	TW	B. Pokhari	Bhadrak	Revival	1	30		
103	Tulapadi	TW	B. Pokhari	Bhadrak	Imp.	1	30		
104	Hinjila	TW	B. Pokhari	Bhadrak	Imp.	1	30	0	
105	Kushagadia	TW	B. Pokhari	Bhadrak	Imp.	1	30	0	
106	Gopalpur-II	TW	Banta	Bhadrak	Imp.	1	30	0	
107	Anasarapur	TW	Bhadrak	Bhadrak	Imp.	1	30	0	
108	Balabhadrapur	TW	Bhadrak	Bhadrak	Imp.	1	30		
109	Berhampur (KFW)	TW	Bhadrak	Bhadrak	Imp.	1	30		
110	Betada-I	TW	Bhadrak	Bhadrak	Revival	1	30		
111	Betera-II	TW	Bhadrak	Bhadrak	Imp.	1	30		
112	Ganjamal	TW	Bhadrak	Bhadrak	Revival	1	30		
113	Kalahandia-I	TW	Bhadrak	Bhadrak	Revival	1	30		
114	Kalahandia-II	TW	Bhadrak	Bhadrak	Revival	1	30		
115	Nachhipur (KFW)	TW	Bhadrak	Bhadrak	Imp.	1	25	0	
116	Rajpur	TW	Bhadrak	Bhadrak	Revival	1	30		
117	Badabansta	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
118	Balipokhari-II	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
119	Deopada	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
120	Fatepur	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
121	Jashitikiri (KFW)	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
122	Napang (KFW)	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
123	Neulia	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
124	Raghunathpur	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
125	Ramachandrapur-I	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
126	Ranjit-III	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
127	Sanabansta	TW	Bhandari Pokhari	Bhadrak	Imp.	1	25		
128	Saro-II	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
129	Berhampur	TW	Bonth	Bhadrak	Revival	1	30		
130	Chhayalsingh	TW	Bonth	Bhadrak	Revival	1	30		
131	Gopalpur-I	TW	Bonth	Bhadrak	Revival	1	30		
132	Hasinpur (KFW)	TW	Bonth	Bhadrak	Imp.	1	30		
133	Kantia	TW	Bonth	Bhadrak	Revival	1	30		
134	Kantigadia	TW	Bonth	Bhadrak	Revival	1	30		
135	Mohantypada	TW	Bonth	Bhadrak	Imp.	1	30		
136	Palasa	TW	Bonth	Bhadrak	Revival	1	30		
137	Rupudi	TW	Bonth	Bhadrak	Imp.	1	0		
138	Binitira	TW	Chandabali	Bhadrak	Revival	1	30		
139	Panchapada	TW	Chandabali	Bhadrak	Revival	1	30		
140	Analadihi-I	RL	Dhamnagar	Bhadrak	Revival	1		30	
141	Analadihi-II	RL	Dhamnagar	Bhadrak	Revival	1		30	
142	Analadihi-III	RL	Dhamnagar	Bhadrak	Revival	1		30	
143	Anandapur-I	TW	Dhamnagar	Bhadrak	Imp.	1	30		
144	Berhampur	TW	Dhamnagar	Bhadrak	Revival	1	30		
145	Charmania	RL	Dhamnagar	Bhadrak	Revival	1		30	
146	Chhatisbedpur	TW	Dhamnagar	Bhadrak	Imp.	1	30		
147	Gadagadi	RL	Dhamnagar	Bhadrak	Imp.	1		30	
148	Gandhighat	RL	Dhamnagar	Bhadrak	Imp.	1		30	
149	Ichhada(KFW)	TW	Dhamnagar	Bhadrak	Imp.	1	30		
150	Jayanagar	TW	Dhamnagar	Bhadrak	Imp.		30		
151	Koruasasan (KFW)	TW	Dhamnagar	Bhadrak	Imp.	1	0		
152	Kulasahi(E)	RL	Dhamnagar	Bhadrak	Imp.	1		30	
153	Lokanathpur	RL	Dhamnagar	Bhadrak	Revival	1		30	
154	Mathasahi-I	RL	Dhamnagar	Bhadrak	Imp.	1		30	
155	Mathasahi-II	RL	Dhamnagar	Bhadrak	Revival	1		30	
156	Pahadpur-III	TW	Dhamnagar	Bhadrak	Revival	1	30		
157	Pangatasasan	RL	Dhamnagar	Bhadrak	Imp.	1		30	
158	Pokharia	RL	Dhamnagar	Bhadrak	Imp.	1		30	
159	Sahusahi	RL	Dhamnagar	Bhadrak	Revival	1		30	
160	Surajpur-II	TW	Dhamnagar	Bhadrak	Imp.	1	30		
161	Telipatna	RL	Dhamnagar	Bhadrak	Imp.	1	30	0	
162	Bilana (KFW)	TW	Tihidi	Bhadrak	Revival	1	0		
163	Billana-II	TW	Tihidi	Bhadrak	Imp.	1	30	0	
164	Gajipur (KFW)	TW	Tihidi	Bhadrak	Imp.	1	25	0	
165	Gajipur-I (KFW)	TW	Tihidi	Bhadrak	Imp.	1	0		
166	Paliabindha (KFW)	TW	Tihidi	Bhadrak	Imp.	1	20	0	
167	Paliabindha -I	TW	Tihidi	Bhadrak	Imp.	1	20	0	
168	Radhanga	TW	Tihidi	Bhadrak	Imp.	1	0		
169	Haladharbindha-I	TW	Tihidi	Bhadrak	Imp.	1	30		
170	Paliabindha (Biswalsahi)KFW	TW	Tihidi	Bhadrak	Imp.	1	30		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
171	Paliabindha (Baligohiri) KFW	TW	Tihidi	Bhadrak	Imp.	1	0	0	
172	Kaapur	TW	Bhadrak	Bhadrak	Revival	1	30		
173	Khanabadi-I	TW	Bhadrak	Bhadrak	Revival	1	30		
174	Khanabadi-II	TW	Bhadrak	Bhadrak	Revival	1	30		
175	Olanga-IV	TW	Bhadrak	Bhadrak	Revival	1	30		
176	Saramanga	TW	Bhadrak	Bhadrak	Revival	1	30		
177	Akhuapada-II	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
178	Bhutia KFW	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
179	Kainsira	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
180	Kulana-II	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
181	Kumbharia	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
182	Palasahi (KFW)	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
183	Ramachandrapur-II	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
184	Ranjit-II	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
185	Sampaei-KFW	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
186	Saro-I	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
187	Saro-III	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
188	Saro-West	TW	Bhandari Pokhari	Bhadrak	Imp.	1	30		
189	Solapur	TW	Bhandari Pokhari	Bhadrak	Revival	1	30		
190	Anijo-I	TW	Bonth	Bhadrak	Revival	1	30		
191	Ghantagadia	TW	Bonth	Bhadrak	Revival	1	30		
192	Barunei-II	TW	Tihidi	Bhadrak	Revival	1	30		
193	Achutabasanta	RL	Badachana	Jajpur	Revival	1	30		
194	Ambasouri-II	RL	Badachana	Jajpur	Revival	1	30		
195	Arakhapur-II	RL	Badachana	Jajpur	Imp.	1	30		
196	Arakhapur-III	RL	Badachana	Jajpur	Imp.	1	30		
197	Asia	RL	Badachana	Jajpur	Imp.	1	30		
198	Badghumuri	RL	Badachana	Jajpur	Revival	1	20		
199	Banamalipur-III	RL	Badachana	Jajpur	Imp.	1	30		
200	Bandha-I	RL	Badachana	Jajpur	Revival	1	30		
201	Bangurguntha	RL	Badachana	Jajpur	Revival	1	30		
202	Bhubanpur-I	RL	Badachana	Jajpur	Revival	1	30		
203	Bhubanpur-II	RL	Badachana	Jajpur	Revival	1	30		
204	Bidyadharpur-I	RL	Badachana	Jajpur	Imp.	1	30		
205	Bidyadharpur-II	RL	Badachana	Jajpur	Imp.	1	30		
206	Charinagal-III	RL	Badachana	Jajpur	Imp.	1	30		
207	Charinagal-V	RL	Badachana	Jajpur	Imp.	1	30		
208	Dakhinkula-I	RL	Badachana	Jajpur	Revival	1	30		



Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
209	Damodarapur	RL	Badachana	Jajpur	Revival	1	30		
210	Dhaudiapada-I	RL	Badachana	Jajpur	Imp.	1	30		
211	Gadjit-I	RL	Badachana	Jajpur	Imp.	1			
212	Gadjit-II	RL	Badachana	Jajpur	Imp.	1			
213	Gopalpur-I	RL	Badachana	Jajpur	Revival	1	30		
214	Gopalpur-II	RL	Badachana	Jajpur	Revival	1	30		
215	Haripur-II	TW	Badachana	Jajpur	Revival	1	30		
216	Jagannathpur	RL	Badachana	Jajpur	Revival	1	30		
217	Kalashree-N	RL	Badachana	Jajpur	Revival	1	30		
218	Kankula-III	TW	Badachana	Jajpur	Imp.	1			
219	Majhipada-I	RL	Badachana	Jajpur	Revival	1	30		
220	Majhipada-II	RL	Badachana	Jajpur	Revival	1	30		
221	Nanpur-I	RL	Badachana	Jajpur	Imp.	1	30		
222	Nanpur-III	RL	Badachana	Jajpur	Imp.	1	30		
223	Paikarapur-I	RL	Badachana	Jajpur	Revival	1	75		
224	Palai-I	RL	Badachana	Jajpur	Revival	1			
225	Palai-II	RL	Badachana	Jajpur	Revival	1	30		
226	Panasudha-I	RL	Badachana	Jajpur	Imp.	1	30		
227	Paripalei-I	RL	Badachana	Jajpur	Revival	1	30		
228	Radhadeipur (Bilikana)	RL	Badachana	Jajpur	Imp.	1	30		
229	Raipur	RL	Badachana	Jajpur	Imp.	1	30		
230	Rambhadeipur-I	RL	Badachana	Jajpur	Revival	1	30		
231	Rambhadeipur-II	RL	Badachana	Jajpur	Revival	1	30		
232	Rangidaspur-I	RL	Badachana	Jajpur	Imp.	1			
233	Ruktipat-I	RL	Badachana	Jajpur	Imp.	1			
234	Ruktipata-II	RL	Badachana	Jajpur	Imp.	1			
235	Ruktipat-III	RL	Badachana	Jajpur	Imp.	1			
236	Saika-II	TW	Badachana	Jajpur	Imp.	0			
237	Sakuntalapur-I	RL	Badachana	Jajpur	Revival	1	30		
238	Sanabandala	RL	Badachana	Jajpur	Revival	1		30	
239	Udayanagar-I	RL	Badachana	Jajpur	Imp.	1			
240	Udayanagar-II	RL	Badachana	Jajpur	Imp.	1	30		
241	Ahamadpur-II	RL	Badachana	Jajpur	Revival	1	10		
242	Ahamadpur-I	RL	Badachana	Jajpur	Revival	1	30		
243	Bharatpur-II	RL	Badachana	Jajpur	Imp.	1	30		
244	Gopalpur-III	RL	Badachana	Jajpur	Revival	1	30		
245	Hatakaranda	RL	Badachana	Jajpur	Imp.	1	30		
246	Khantaposi	TW	Badachana	Jajpur	Revival	1	30		
247	Padasabo	RL	Badachana	Jajpur	Revival	1	30		
248	Purusottampur	RL	Badachana	Jajpur	Revival	1	30		
249	Surkhadeipur	RL	Badachana	Jajpur	Imp.	1	30		
250	Aruala-II	RL	Bari	Jajpur	Imp.	0			
251	Arua-I	RL	Bari	Jajpur	Imp.	1	0		
252	Atira-II	TW	Bari	Jajpur	Imp.	0			
253	Aurangabad-III	RL	Bari	Jajpur	Revival	1	0		
254	Balia-II	TW	Bari	Jajpur	Imp.	1	30		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
255	Balibili-II	RL	Bari	Jajpur	Imp.	1			
256	Balibili-V	RL	Bari	Jajpur	Imp.	1	0		
257	Balikanthia	RL	Bari	Jajpur	Imp.	1			
258	Bholinuagaon	TW	Bari	Jajpur	Imp.	1			
259	Bhurunga	TW	Bari	Jajpur	Revival	1	0		
260	Bhurunga-II	RL	Bari	Jajpur	Revival	0	0		
261	Dihasaki-I	RL	Bari	Jajpur	Revival	1	0		
262	Dihasaki-II	RL	Bari	Jajpur	Imp.	1	0		
263	Dihasaki-III	RL	Bari	Jajpur	Imp.	1	0		
264	Haldharpur-(KFW)	RL	Bari	Jajpur	Imp.	1			
265	Jampada(New)	TW	Bari	Jajpur	Imp.	0			
266	Kalakhand-III (KFW)	TW	Bari	Jajpur	Revival	0			
267	Kalamatia	RL	Bari	Jajpur	Imp.	1			
268	Kenkarada	RL	Bari	Jajpur	Revival	1			
269	Khemeswar	RL	Bari	Jajpur	Imp.	1			
270	Kimbhriapal	TW	Bari	Jajpur	Imp.	1			
271	Koradapipal-I	RL	Bari	Jajpur	Imp.	1	0		
272	Koradapipal-II	RL	Bari	Jajpur	Imp.	1			
273	Krushna Nagar-II	RL	Bari	Jajpur	Revival	1	30		
274	Krushnanagar-I	RL	Bari	Jajpur	Revival	2	60		
275	Matiapada	RL	Bari	Jajpur	Revival	1	30		
276	Milimilapur	TW	Bari	Jajpur	Revival	1	0		
277	Nathapur-IV	TW	Bari	Jajpur	Imp.	1	30		
278	Palatpur	TW	Bari	Jajpur	Imp.	1			
279	Palatpur-I	RL	Bari	Jajpur	Revival	1	30		
280	Ratnagiri-II	TW	Bari	Jajpur	Revival	1	30		
281	Sahupada-II	RL	Bari	Jajpur	Revival	1	0		
282	Sahupada-II (KFW)	TW	Bari	Jajpur	Imp.	1			
283	Sankarkul	RL	Bari	Jajpur	Revival	1	30		
284	Talakaipada	RL	Bari	Jajpur	Imp.	1			
285	Udayapur	TW	Bari	Jajpur	Imp.	1	0		
286	Upper Kaipada	RL	Bari	Jajpur	Revival	1	0		
287	Umadei-I	RL	Bari	Jajpur	Imp.	1			
288	Binjharpur-II	RL	Binjharpur	Jajpur	Imp.	1	30		
289	Binjharpur-IV	TW	Binjharpur	Jajpur	Imp.	1	20		
290	Bitana-I	TW	Binjharpur	Jajpur	Imp.	1	30		
291	Bramhanigaon-II(KFW)	TW	Binjharpur	Jajpur	Imp.	1			
292	Chikana-II(KFW)	TW	Binjharpur	Jajpur	Revival	1	30		
293	Jagannathpur-II	RL	Binjharpur	Jajpur	Revival	1	30		
294	Jagannathpur-II(EXT)	TW	Binjharpur	Jajpur	Revival	1	30		
295	Jari-II	RL	Binjharpur	Jajpur	Imp.	1			
296	Jari-III	RL	Binjharpur	Jajpur	Revival	1			
297	Jenadiha-I	RL	Binjharpur	Jajpur	Imp.	1		30	
298	Jenadiha-III	RL	Binjharpur	Jajpur	Imp.	1		30	
299	Pritipur-I	TW	Binjharpur	Jajpur	Revival	1	30		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
300	Raghunathpur	TW	Binjharpur	Jajpur	Imp.	1	30		
301	Ranpur-I	RL	Binjharpur	Jajpur	Revival	1	40		
302	Samalpur	TW	Binjharpur	Jajpur	Imp.	1		30	
303	Ahiyas-II	TW	Dasarathpur	Jajpur	Revival	1	40		
304	Ahiyas-III(KFW)	TW	Dasarathpur	Jajpur	Revival	1	40		
305	Ahyas-I	TW	Dasarathpur	Jajpur	Imp.	1	30		
306	Bhelanga	TW	Dasarathpur	Jajpur	Revival	1	30		
307	Brahmacharipatna (KFW)	TW	Dasarathpur	Jajpur	Imp.	1	40		
308	Chaulia	TW	Dasarathpur	Jajpur	Imp.	1	30		
309	Daluamahara	RL	Dasarathpur	Jajpur	Revival	1		40	
310	Dasarathapur Gochhayatsahi	TW	Dasarathpur	Jajpur	Imp.	0			
311	Gramanadipur	TW	Dasarathpur	Jajpur	Imp.	1	30		
312	Jalasarapur-II(KFW)	TW	Dasarathpur	Jajpur	Imp.	0			
313	Kamalpur	TW	Dasarathpur	Jajpur	Imp.	1	30		
314	Kenduakul (KFW)	TW	Dasarathpur	Jajpur	Revival	1	30		
315	Kuanrpur-I	TW	Dasarathpur	Jajpur	Imp.	1	30		
316	Kuanrsahi	TW	Dasarathpur	Jajpur	Imp.	1	40		
317	Kuarpur-III(KFW)	TW	Dasarathpur	Jajpur	Imp.	1	30		
318	Mohantypatna-II (KFW)	TW	Dasarathpur	Jajpur	Revival	1	30		
319	Sanakuanal-I (KFW)	TW	Dasarathpur	Jajpur	Revival	1	30		
320	Sanakuanal-II	TW	Dasarathpur	Jajpur	Imp.	1	30		
321	Tarangapukasahi (KFW)	TW	Dasarathpur	Jajpur	Imp.	1	30		
322	Tarangasagarpur	TW	Dasarathpur	Jajpur	Revival	1	30		
323	Areikana-I	RL	Dharmasala	Jajpur	Imp.	0	30		
324	Areikana-II	RL	Dharmasala	Jajpur	Imp.	1	50		
325	Areikana-IV	RL	Dharmasala	Jajpur	Imp.	1			
326	Badadangabuda	RL	Dharmasala	Jajpur	Imp.	0			
327	Bajabati	RL	Dharmasala	Jajpur	Imp.	0			
328	Baligaripatna-II	TW	Dharmasala	Jajpur	Imp.	0			
329	Balikudia-II	TW	Dharmasala	Jajpur	Revival	1	30		
330	Balikudia-III	TW	Dharmasala	Jajpur	Revival	1	25		
331	Bhuban	TW	Dharmasala	Jajpur	Imp.	1	30		
332	Brundadeipur-II	TW	Dharmasala	Jajpur	Revival	1	30		
333	Digambarpur	TW	Dharmasala	Jajpur	Imp.	0			
334	Dihakasti-II	TW	Dharmasala	Jajpur	Imp.	0			
335	Dihanarsinghpur-I	RL	Dharmasala	Jajpur	Revival	1	30		
336	Dihanarsinghpur-II	RL	Dharmasala	Jajpur	Imp.	0			
337	Haladiamula-I	RL	Dharmasala	Jajpur	Imp.	0			
338	Harichandanpur-VI	RL	Dharmasala	Jajpur	Imp.	1	0		
339	Harichandrapur-I	RL	Dharmasala	Jajpur	Imp.	1	30		
340	Jemadeipur-I	RL	Dharmasala	Jajpur	Revival	1	0		
341	Jemadeipur-II	RL	Dharmasala	Jajpur	Imp.	1	0		
342	Kabatbandha-I	TW	Dharmasala	Jajpur	Revival	1	15		

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
343	Kantigadia-I	RL	Dharmasala	Jajpur	Imp.	1	30		
344	Marjitapur-I	RL	Dharmasala	Jajpur	Imp.	1	40		
345	Mrutapur-I	RL	Dharmasala	Jajpur	Imp.	1	20		
346	Nachhipur-I	RL	Dharmasala	Jajpur	Imp.	1			
347	Nachhipur-II	RL	Dharmasala	Jajpur	Imp.	1			
348	Nachhipur-III	RL	Dharmasala	Jajpur	Imp.	1	30		
349	Narsinghpur-II	RL	Dharmasala	Jajpur	Imp.	1	30		
350	Raichand-I	TW	Dharmasala	Jajpur	Revival	1	20		
351	Raichand-II	TW	Dharmasala	Jajpur	Revival	1	30		
352	Raichand-III	TW	Dharmasala	Jajpur	Imp.	1	20		
353	Rekhideipur-I	RL	Dharmasala	Jajpur	Revival	1	15		
354	Rekhideipur-II	T/W	Dharmasala	Jajpur	Imp.	1	30		
355	Rekhideipur-IV	TW	Dharmasala	Jajpur	Imp.	1	30		
356	Salepur-II	RL	Dharmasala	Jajpur	Imp.	0			
357	Sanadangabuda	RL	Dharmasala	Jajpur	Revival	1	30		
358	Sankha-I	RL	Dharmasala	Jajpur	Imp.	1			
359	Bhabanipur-III	TW	Dharmasala	Jajpur	Revival	1	30		
360	Marjitapur-II	RL	Dharmasala	Jajpur	Revival	1		40	
361	Bhabanipur-II	TW	Dharmasala	Jajpur	Imp.	1	30		
362	Immamnagar-II	RL	Dharmasala	Jajpur	Imp.	1	30		
363	Immamnagar-III	RL	Dharmasala	Jajpur	Imp.	1	30		
364	Immamnagar-IV	RL	Dharmasala	Jajpur	Imp.	1	40		
365	Marjitapur-II	TW	Dharmasala	Jajpur	Imp.	0	30		
366	Paikarapur-I	TW	Dharmasala	Jajpur	Revival	1	0		
367	Patunia-II	RL	Dharmasala	Jajpur	Imp.	1	0		
368	Patunia-III	RL	Dharmasala	Jajpur	Imp.	1	0		
369	Radhadeipur-I	RL	Dharmasala	Jajpur	Imp.	1	0		
370	Alia-I	TW	Korei	Jajpur	Revival	1	30		
371	Alia-II	TW	Korei	Jajpur	Revival	1	30		
372	Arada	TW	Rasulpur	Jajpur	Revival	1	30		
373	Atalapur	TW	Rasulpur	Jajpur	Revival	1	30		
374	Baransa-I	TW	Rasulpur	Jajpur	Revival	1	30		
375	Baransa-IV	TW	Rasulpur	Jajpur	Revival	1	30		
376	Bhagatpur	TW	Rasulpur	Jajpur	Imp.	1	30		
377	Dihakuransa-II	TW	Rasulpur	Jajpur	Imp.	1	30		
378	Ektal	RL	Rasulpur	Jajpur	Revival	1	30		
379	Ichhapur	TW	Rasulpur	Jajpur	Revival	1	20		
380	Jabara-I	TW	Rasulpur	Jajpur	Revival	1	20		
381	Khairabada	TW	Rasulpur	Jajpur	Imp.	1	30		
382	Koruan-II	TW	Rasulpur	Jajpur	Revival	1	30		
383	Krushnapada-I	TW	Rasulpur	Jajpur	Revival	1	20		
384	Krushnapada-II	TW	Rasulpur	Jajpur	Revival	1	20		
385	Mandarpur	TW	Rasulpur	Jajpur	Revival	1	20		
386	Mugapal-III	TW	Rasulpur	Jajpur	Revival	1	30		
387	Mugapal-IV	TW	Rasulpur	Jajpur	Imp.	1	15		
388	Niranjanpur-I	TW	Rasulpur	Jajpur	Revival	1	30		
389	Nuamirjapur-I	TW	Rasulpur	Jajpur	Imp.	1			

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
390	Prathamkhandi-I	TW	Rasulpur	Jajpur	Imp.	0			
391	Sukadeipur-I	TW	Rasulpur	Jajpur	Revival	1	30		
392	Tikarpada-II	TW	Rasulpur	Jajpur	Imp.	1			
393	Adiasahi	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
394	Bathudibandha-III	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
395	Baunsabania	TW	Badasahi	Mayurbhanj	Imp.	1	0	0	
396	Bhimda-III	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
397	Chakradharpur-II	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
398	Khuntapal	RL	Badasahi	Mayurbhanj	Imp.	1	0	90	
399	Kunchibania	TW	Badasahi	Mayurbhanj	Imp.	1	0	0	
400	Madhapur-II	TW	Badasahi	Mayurbhanj	Imp.	1	30		
401	Mendhamundia-I	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
402	Pandua-I	TW	Badasahi	Mayurbhanj	Imp.	1	0	0	
403	Pratappur-II	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
404	Singitia-I	RL	Badasahi	Mayurbhanj	Imp.	1	30	0	
405	Singitia-III	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
406	Sorisakatha-II	TW	Badasahi	Mayurbhanj	Imp.	1	30	0	
407	Anla	TW	Betanati	Mayurbhanj	Imp.	1	30		
408	Kalama-II	TW	Betanati	Mayurbhanj	Imp.	1	30	0	
409	Mahuri	TW	Betanati	Mayurbhanj	Imp.	1	30	0	
410	Unapura	TW	Betanati	Mayurbhanj	Imp.	1	0	0	
411	Mahulpatna	TW	Betnoti	Mayurbhanj	Imp.	1	0	0	
412	Nachhipuria	TW	Betnoti	Mayurbhanj	Imp.	1	30	0	
413	Panchaputuli-II	RL	Betnoti	Mayurbhanj	Imp.	1	30	0	
414	Purunia-I	TW	Betnoti	Mayurbhanj	Imp.	1	30	0	
415	Dighinuasahi-I	RL	G.B. Nagar	Mayurbhanj	Imp.	2	30	0	
416	Dighinuasahi-II	RL	G.B. Nagar	Mayurbhanj	Imp.	1	30	0	
417	Jaypur-I	RL	G.B. Nagar	Mayurbhanj	Imp.	1	45	0	
418	Jaypur-III	RL	G.B. Nagar	Mayurbhanj	Imp.	0	0	0	
419	Nuagaon	RL	G.B. Nagar	Mayurbhanj	Imp.	1	30	0	
420	Bahalgadi	RL	Khunta	Mayurbhanj	Imp.	1	0	30	
421	Basipitha-II	TW	Khunta	Mayurbhanj	Imp.	1	30	0	
422	Basipitha-III	TW	Khunta	Mayurbhanj	Imp.	1	30		
423	Belpal-II	RL	Khunta	Mayurbhanj	Imp.	1		30	
424	Bholasahi	RL	Khunta	Mayurbhanj	Imp.	1		30	
425	Adapal	RL	Kuliana	Mayurbhanj	Imp.	1	0	30	
426	Aniapal-I	RL	Kuliana	Mayurbhanj	Imp.	1	0	30	
427	Aniapal-II	RL	Kuliana	Mayurbhanj	Imp.	1	0	30	
428	Darkhuli-I	TW	Kuliana	Mayurbhanj	Imp.	1	30	0	
429	Darkhuli-II	RL	Kuliana	Mayurbhanj	Imp.	1	0	30	
430	Jhinkiria	RL	Morada	Mayurbhanj	Imp.	1		60	
431	Palasmunduli	RL	Morada	Mayurbhanj	Imp.	1		30	
432	Bandhamundi-III	RL	Rasgobindpur	Mayurbhanj	Imp.	1	0	0	
433	Gadighati	RL	Rasgobindpur	Mayurbhanj	Imp.	1		30	
434	Handidhua-II	TW	Rasgobindpur	Mayurbhanj	Imp.	1	30	0	
435	Kalama-II	TW	Rasgobindpur	Mayurbhanj	Imp.	1			
436	Khuntapal-II	TW	Rasgobindpur	Mayurbhanj	Imp.	1	30	0	

Sl. No.	Name of the Project	Type	Block	District	Imp. /Revival	63 Amp. Main Switch No.	3x 10 mm <sup>2</sup> TD cable Mts.	3x 16 mm <sup>2</sup> TD cable Mts.	4 KVA Capacitor
437	Rasgobindpur-II	TW	Rasgobindpur	Mayurbhanj	Imp.	1	30		
438	Takadida	TW	Rasgobindpur	Mayurbhanj	Imp.	1	30	0	
439	Tikayatpur-I	TW	Rasgobindpur	Mayurbhanj	Revival	1	30	0	
440	Kadalibadia	RL	Udala	Mayurbhanj	Imp.	1	0	30	
441	Kalapahad	RL	Udala	Mayurbhanj	Imp.	2			
442	Sunapal	RL	Udala	Mayurbhanj	Imp.	1	0	50	
443	Gambharia-I	RL	Badasahi	Mayurbhanj	Revival	1		30	
444	Gambharia-II	RL	Badasahi	Mayurbhanj	Revival	1		30	
445	Madhapur-I	RL	Badasahi	Mayurbhanj	Revival	1		30	
446	Managobindapur-I	RL	Badasahi	Mayurbhanj	Revival	1		30	
447	Sankucha-I	RL	Badasahi	Mayurbhanj	Revival	1		30	
448	Tangana-I	TW	GBNagar	Mayurbhanj	Revival	1	30		
449	Dukura-II	TW	Khunta	Mayurbhanj	Revival	1	30		
<b>Total</b>						<b>425</b>	<b>8635</b>	<b>1720</b>	<b>33</b>

## **SECTION- VIII**

### **Performance Guarantee for Main Switch, TD Cable and Capacitor**

#### **PERFORMANCE GUARANTEE**

1. We hereby agree to abide by the terms and conditions mentioned in the Purchase Order No. Dated- \_\_\_\_\_ of Chief –Engineer-cum- Project Director Project Management Unit, Orissa Integrated Irrigated Agriculture and Water Management Investment Programme, 5th floor, Rajiv Bhawan, Bhubaneswar, Odisha.
2. We hereby guarantee that the Cables supplied against the above purchase order strictly confirm with the specification stipulated in the Purchase Order.
3. The Cables supplied by us against the above purchase order are hereby guaranteed for trouble free performance in the Lift Irrigation Projects and for free repair / replacement and rectification for a period of 18 (Eighteen) months from the date of delivery of last consignment or 12 (twelve) months from the date of installation whichever is earlier against all manufacturing defects due to use of defective materials or due to bad workmanship.
4. We do hereby undertake to pay the amount due and payable under this performance guarantee without any demur on demand from the Chief–Engineer-cum-Project Director, Project Management Unit , Orissa Integrated Irrigated Agriculture and Water Management Investment Programme ,5<sup>th</sup> floor, Rajiv Bhawan, Bhubaneswar, Odisha stating that the amount claimed is due by way of loss or damage caused to or suffered by the above purchaser by reason of our breach of any of the terms and conditions contained in the agreement or by reason of our failure to perform the said agreement.
5. Notwithstanding, what is stated above our guarantee is valid up to 18 (Eighteen) months from the date of delivery of last consignment or 12 (twelve) month from the date of installation whichever is earlier and our liabilities therein is limited to maximum of 100% (Hundred Percent) of the total value of the purchase order.

**SIGNATURE OF THE SUPPLIER WITH SEAL**