

NAYAGARH IRRIGATION DIVISION

Sl No.	Name of the Embankment	Category of the Embknt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	Mahanadi Rt. Embknt.from Manibhadra to Routpara		O.A.E	-	-	3.50	Mahanadi	Mahanadi	Nayagarh	00-1.28	59.30	2.0:1	3.60	20m	-	TBL is under Design
										1.28-3.50	58.06	1.3:1	1.70	30m	-	TBL,Side Slope,Top width are under Design
2	Mahanadi Rt. Embknt.from Routpara to Wallipur		O.A.E	-	-	2.55	Mahanadi	Mahanadi	Nayagarh	-	54.15	2.0:1	3.60	160m	-	-
3	Mahanadi Rt. Embknt.from Kishoreprasad to Paturia		O.A.E	-	-	3.41	Mahanadi	Mahanadi	Nayagarh	-	52.75	2.0:1	3.60	335m	-	TBL is under Design
4	Brutang Rt. Embknt.from Butubari to Mahukana	-	O.A.E	-	-	3.50	Mahanadi	Brutang	Nayagarh	00-0.88	62.09	1.5:1	3.30	300m	6 Nos.	Top Width & TBL are under Design
										0.88-3.50	61.68	1.5:1	2.10	85m	-	-do-
5	Brutang left Embknt.from Kimbhirakhani to Rajingi	-	O.A.E	-	-	2.50	Mahanadi	Brutang	Nayagarh	-	62.35	1.5:1	2.40	230m	3Nos.	-do-
6	Brutang left Embknt.from Rajingi to Gupteswar Hill	-	O.A.E	-	-	5.50	Mahanadi	Brutang	Nayagarh	-	59.18	1.5:1	2.50	290m	-	-do-
7	Brutang left Embknt. near Siligadia	-	O.A.E	-	-	1.50	Mahanadi	Brutang	Nayagarh	-	82.25	1.5:1	2.50	130m	3Nos.	-do-
8	Kuanria right Embknt. From Sikrida to Krushnaprasad	-	O.A.E	-	-	5.00	Mahanadi	Kuanria	Nayagarh	-	81.01	1.5:1	2.50	390m	2Nos.	-do-
9	Kuanria left Embknt. from Madhyakhanda to Jagannathprasad	-	O.A.E	-	-	6.50	Mahanadi	Kuanria	Nayagarh	-	84.05	1.5:1	2.50	235m	16Nos.	-do-
10	Kuanria right Embknt. near Satpatna	-		T.R.E	-	1.50	Mahanadi	Kuanria	Nayagarh	-	96.25	1.5:1	2.50	210m	-	-do-
11	Kuanria left Embknt. near Satpatna	-		T.R.E	-	1.50	Mahanadi	Kuanria	Nayagarh	-	96.18	1.5:1	2.50	980m	-	-do-
12	Kuanria left Bank near Dihagaon	-	O.A.E	-	-	0.39	Mahanadi	Kuanria	Nayagarh	-	-	-	-	390m	3Nos.	-
13	Kuanria left Bank near Duargaon	-	O.A.E	-	-	0.42	Mahanadi	Kuanria	Nayagarh	-	-	-	-	420m	3Nos.	-
14	Kuanria right Bank near Dindabhin	-	O.A.E	-	-	0.52	Mahanadi	Kuanria	Nayagarh	-	-	-	-	520m	5Nos.	-
15	Kuanria left Bank near Daspalla town	-	O.A.E	-	-	0.63	Mahanadi	Kuanria	Nayagarh	-	-	-	-	630m	2Nos.	-
16	Kusumi Right embankment near Masabari		O.A.E	-	-	1.50	Mahanadi	Kusumi	Nayagarh	-	117.07	1:01	3.00	200 M	-	TBL,Side Slope & Top width are under Design

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
17	Kusumi Right embankment near village Amarapur		O.A.E	-	-	0.60	Mahanadi	Kusumi	Nayagarh	-	110.32	1.5:1	3.00		4 nos	-do-
18	Kusumi left near Komanda-Kural	-	O.A.E	-	-	0.60	Mahanadi	Kusumi	Nayagarh	-	127.65	1.5:1	3.00	150M	-	Top Width is under Design
19	Kusumi Left embkt. from Saramareisahi to Bilamanapur	-	O.A.E	-	-	0.80	Mahanadi	Kusumi	Nayagarh	-	114.80	1.5:1	3.00	130M	-	TBL,Side Slope & Top width are under Design
20	Kusumi left from Karada to Chinara Raghunathpur	-	O.A.E	-	-	2.30	Mahanadi	Kusumi	Nayagarh	-	94.30	1:01	3.00	150M	2 nos	-do-
21	Duanto Right Embankment from Bayapalli to Chadevapalli	-	O.A.E	-	-	2.50	Mahanadi	Duanto	Nayagarh	-	106.50	1:01	3.00	800M	-	Side Slope & Top width are under Design
22	Duanto Right Embankment near Panibhandar	-	O.A.E	-	-	1.60	Mahanadi	Duanto	Nayagarh	-	92.35	1.5:1	3.00	780M	-	Top Width is under Design
23	Duanto Right Embankment from Baulisahi to Haripur	-		T.R.E	-	1.00	Mahanadi	Duanto	Nayagarh	-	80.50	1:01	2.60		-	TBL,Side Slope & Top width are under Design
24	Duanto Left Embankment near Manpur	-		T.R.E	-	1.00	Mahanadi	Duanto	Nayagarh	-	102.50	1:01	3.00		-	Side Slope & Top width are under Design
25	Duanto Left Embankment from Dimissar to Gambharidih.	-	O.A.E	-	-	6.50	Mahanadi	Duanto	Nayagarh	-	86.25	1.5:1	3.00	450M	-	Top Width is under Design
26	Nagajhar Left Embankment near Panchumu	-	O.A.E	-	-	1.50	Mahanadi	Nagajhara	Nayagarh	-	94.50	1:01	3.00	-	-	TBL,Side Slope & Top width are under Design
27	Duanto Left Embankment from Bileipalli to Sikharpur	-	O.A.E	-	-	2.50	Mahanadi	Duanto	Nayagarh	-	96.71	1.5:1	3.00	620 M	-	-do-
28	Mandakini Right Embankment near Gourangapur.	-	O.A.E	-	-	2.00	Mahanadi	Mandakini	Nayagarh	-	97.80	1:01	3.00	90M	-	Side Slope & Top width are under Design
29	Mandakini Right Embankment near Thananagar	-	O.A.E	-	-	1.00	Mahanadi	Mandakini	Nayagarh	-	98.60	1:01	3.00	100 M	-	-do-
30	Mandakini Right Embankment near Nandapur	-	O.A.E	-	-	0.80	Mahanadi	Mandakini	Nayagarh	-	97.10	1:01	3.00	200M	-	-do-
31	Mandakini Left Embankment near Rainagar	-	O.A.E	-	-	2.50	Mahanadi	Mandakini	Nayagarh	-	100.00	1:01	3.00	200M	-	-do-
32	Baunsanalla left from Khandasahi to Nandagadia	-	-	T.R.E	-	1.50	Mahanadi	baunsanalla	Nayagarh	-	82.20	1:01	2.50	-	-	TBL,Side Slope & Top width are under Design

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
33	Baunsanalla Right near Mahurjhulia	-	-	T.R.E	-	0.50	Mahanadi	baunsanalla	Nayagarh	-	84.75	1:01	2.20	-	-	-do-
34	Mahanadi right embankment from Sidhamala to Kumundi	C.E.	-	-	-	7.60	Mahanadi	Mahanadi	Nayagarh	-	53.10	1.3:1	5.10	-	6nos	Side Slope & Top width are under Design
35	Mahanadi right embankment from Banapur to Kantilo	C.E.	-	-	-	2.70	Mahanadi	Mahanadi	Nayagarh	-	52.30	1.50:1	5.10	-	4nos	Handed over to P.W.D
36	Mahanadi right embankment from Padmabati to Kaligiri Mouth	C.E.	-	-	-	8.20	Mahanadi	Mahanadi	Nayagarh	-	46.40	1.50:1	3.60	-	14nos	-
37	Mahanadi right embankment from Manjarighai to Chandighai and Madhapur		O.A.E.	-	-	4.00	Mahanadi	Mahanadi	Nayagarh	-	49.35	1.50:1	3.60	-	1 no.	-
38	Mahanadi right embankment from Kantilo Keutasahi to Kamei mouth		O.A.E.	-	-	1.02	Mahanadi	Mahanadi	Nayagarh	-	49.50	1.50:1	3.60	-	4nos	-
39	Mahanadi right embankment near Akurabandha		O.A.E.	-	-	1.00	Mahanadi	Mahanadi	Nayagarh	-	56.35	1.50:1	3.60	-	1 no.	-
40	Mahanadi right embankment near Banapur		O.A.E.	-	-	0.70	Mahanadi	Mahanadi	Nayagarh	-	52.50	1.50:1	3.60	-	1 no.	-
41	Badabara Ring Bandh		O.A.E.	-	-	1.00	Mahanadi	Mahanadi	Nayagarh	-	45.98	1.50:1	3.60	-	1 no.	-
42	Balunkeswar Temple AdiBandh on Mahanadi right near Padmabati		O.A.E.	-	-	0.50	Mahanadi	Mahanadi	Nayagarh	-	46.20	1.2:1	3.60	-	1 no.	Side Slope & Top width are under Design
43	Kantilo Keutasahi AdiBandh		O.A.E.	-	-	1.00	Mahanadi	Mahanadi	Nayagarh	00-0.48	49.20	1.2:1	3.60	-	1 no.	TBL,Side Slope & Top width are under Design
										0.48-1.00	50.20	1.5:1	4.60	-	1 no.	
44	Kuanria right embankment near Saradhapur	-	O.A.E.	-	-	1.50	Mahanadi	Kuanria	Nayagarh	00 - 0.64	55.00	1.5:1	3.60	3.6		
										0.64 - 1.50	54.30	1.3:2	2.60	2.1		TBL,Side Slope & Top width are under Design
45	Kuanria right embankment near Kiajhara	-	O.A.E.	-	-	1.49	Mahanadi	Kuanria	Nayagarh		53.00	1.2:1	2.50	-	1 no.	TBL,Side Slope & Top width are under Design
	Kuanria right embankment									00 - 1.95	54.30	1.50:1	3.60	350 m		-

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
46	from Natabarapur to Patharadwar	-	O.A.E.	-	-	5.60	Mahanadi	Kuanria	Nayagarh	1.95 - 5.6	54.00	1.2:1	2.70			TBL,Side Slope & Top width are under Design
47	Kuanria left embankment near Jakela	-	O.A.E.	-	-	1.00	Mahanadi	Kuanria	Nayagarh	-	60.50	1.3:1	2.50	-	4nos	Side Slope & Top width are under Design
48	Kuanria left embankment near Dholamara	-	O.A.E.	-	-	2.50	Mahanadi	Kuanria	Nayagarh	-	68.40	1.2:1	2.40	-		Side Slope & Top width are under Design
49	Kuanria left embankment near Koduanpalli	-	O.A.E.	-	-	0.50	Mahanadi	Kuanria	Nayagarh	-	61.00	1.25:1	2.35	-	1 No.	TBL,Side Slope & Top width are under Design
50	Kuanria left embankment from Kandhamirigi to Mangarajpur	-	O.A.E.	-	-	0.75	Mahanadi	Kuanria	Nayagarh	-	58.95	1.2:1	2.10	-	1 No.	TBL,Side Slope & Top width are under Design
51	Kuanria left embankment from Kunjabeli to Sarapokhari	-	O.A.E.	-	-	5.00	Mahanadi	Kuanria	Nayagarh	-	55.50	1.2:1	2.00	-	1 No.	Side Slope & Top width are under Design
52	Kuanria left embankment from PWD road to Dhobanighai	-	O.A.E.	-	-	2.45	Mahanadi	Kuanria	Nayagarh	-	49.30	1.3:1	2.70	-	1 No.	Side Slope & Top width are under Design
53	Kusumi right embankment from Kadua to Jagannathprasad	-	O.A.E.	-	-	2.27	Mahanadi	Kusumi	Nayagarh	-	55.10	1.2:1	3.30	-	1 No.	TBL,Side Slope & Top width are under Design
54	Kusumi right embankment from Betakholi to Tikiripada	-	O.A.E.	-	-	2.50	Mahanadi	Kusumi	Nayagarh	-	57.00	1.3:1	3.30	-	1 No.	-do-
55	Kusumi right embankment from Nuapallii to Mangalpur	-	O.A.E.	-	-	7.00	Mahanadi	Kusumi	Nayagarh	-	55.60	1.3:1	3.60	-	1 No.	-do-
56	Kusumi left embankment from Anlamada to Kunjabiharipur	-	O.A.E.	-	-	5.50	Mahanadi	Kusumi	Nayagarh	-	55.60	1.2:1	3.30	-	4 Nos	Side Slope & Top width are under Design
57	Kusumi left embankment from Baradabadi to Golabodasa	-	O.A.E.	-	-	4.50	Mahanadi	Kusumi	Nayagarh	-	53.50	1.3:1	3.30	-	3 Nos	-do-
58	Kusumi left embankment from Golabodasa to Bhalukhai Hill	-	O.A.E.	-	-	2.00	Mahanadi	Kusumi	Nayagarh	-	52.50	1.2:1	3.00	-	1 No.	-do-
59	Kusumi left embankment from Kunjabiharipur to Bodasa	-	O.A.E.	-	-	3.67	Mahanadi	Kusumi	Nayagarh	-	49.80	1.30:1	3.30	-	1 No.	-do-

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
60	Lunijhara left embankment from Chandiprasad to Gunthuni	-	O.A.E.	-	-	3.20	Mahanadi	Lunijhara	Nayagarh	_	56.35	1.40:1	3.60	-	1 No.	TBL,Side Slope & Top width are under Design
61	Kamei left embankment from Dhobanighai to Bhagabat Mundia	-	O.A.E.	-	-	2.00	Mahanadi	Kamei	Nayagarh	_	49.50	1.50:1	2.50	-	1 No.	Side Slope & Top width are under Design
62	Kamei left embankment from Bhagabat Mundia to Alekh Tungi	-	O.A.E.	-	-	1.00	Mahanadi	Kamei	Nayagarh	-	49.50	1.50:1	3.60	-	1 No.	-do-
63	Kamei right embankment from Dhanchengeda to	-	O.A.E.	-	-	2.95	Mahanadi	Kamei	Nayagarh	00 - 2.95	50.50	1.50:1	5.10	-	9 Nos	-
						0.35	Mahanadi	Kamei	Nayagarh	2.95- 3.30	49.50	1.2:1	3.00	-	-	-
64	Kaligiri left embankment near Fategarh	-	O.A.E.	-	-	3.00	Mahanadi	Kaligiri	Nayagarh	-	46.75	1.50:1	2.80	-	1 No.	TBL,Side Slope & Top width are under Design
65	Kusumi Right Embankment from Nuagaon to S.H.-1	-	O.A.E.	-	-	5.50	Mahanadi	Kusumi	Nayagarh	-	68.30	1.50:1	4.60	315	5 Nos	-
66	Kusumi Right Embankment from S.H.-1 to Baunsiapada	-	O.A.E.	-	-	3.50	Mahanadi	Kusumi	Nayagarh	-	64.50	1.50:1	4.60	806		-
67	Kusumi Right Embankment from Baunsiapada to Kadua	-	O.A.E.	-	-	2.50	Mahanadi	Kusumi	Nayagarh	-	62.30	1.50:1	3.60	160		-
68	Kusumi Right Embankment near Bhutudihi	-	O.A.E.	-	-	1.50	Mahanadi	Kusumi	Nayagarh	-	67.50	1.50:1	3.60	330	1Nos	-
69	Kusumi Right Embankment from Bhutudihi to Lathipada	-	O.A.E.	-	-	3.30	Mahanadi	Kusumi	Nayagarh	-	65.10	1.50:1	3.60	218		-
70	Kusumi Right Embankment from Lathipada to Sunalati UP School	-	O.A.E.	-	-	1.00	Mahanadi	Kusumi	Nayagarh	-	65.20	1.50:1	3.00	-		TBL& Top width are under Design
71	Kusumi Left Embankment from Badapandusara to Khedabarana	-	O.A.E.	-	-	4.50	Mahanadi	Kusumi	Nayagarh	-	64.50	1.50:1	3.60	1695		-
72	Khedabarana Ringhbundh	-	O.A.E.	-	-	1.00	Mahanadi	Kusumi	Nayagarh	-	61.30	1.50:1	3.60	210		-
73	Kusumi Left Embankment near Lathipada	-	O.A.E.	-	-	1.50	Mahanadi	Kusumi	Nayagarh	-	65.10	1.50:1	3.60	-		-
74	Kusumi Left near Chinara Raghunathpur	-	-	T.R.E	-	0.50	Mahanadi	Kusumi	Nayagarh	-	66.30	1.50:1	3.60	-		TBL under Design
75	Kusumi Left from Raghunathpur to Chhindira	-	O.A.E.	-	-	1.20	Mahanadi	Kusumi	Nayagarh	-	65.60	1.50:1	3.00	-		Top width under Design
76	Kusumi Left from Lathipada to Krushnaprasad	-	O.A.E.	-	-	1.00	Mahanadi	Kusumi	Nayagarh	-	67.40	1.50:1	3.00	215	1Nos	-do-
77	Dahuka Right Embankment from Mahipur to S.H.-1	-	O.A.E.	-	-	3.50	Mahanadi	Dahuka	Nayagarh	-	91.00	1.50:1	3.60	120		-

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
78	Dahuka Right Embankment from S.H.-1 to Dimirijhari	-	O.A.E.	-	-	2.00	Mahanadi	Dahuka	Nayagarh	-	86.20	1.50:1	3.60	270	3 Nos	-
79	Dahuka Right Embankment from Bakulabandha to Similisaahi	-	O.A.E.	-	-	3.50	Mahanadi	Dahuka	Nayagarh	-	85.50	1.50:1	3.60	430		-
80	Dahuka Right Embankment from Dahuka D/W to Govindpur	-	O.A.E.	-	-	2.70	Mahanadi	Dahuka	Nayagarh	-	71.00	1.50:1	3.60	390		-
81	Dahuka Right Embankment near Champatipur	-	O.A.E.	-	-	1.00	Mahanadi	Dahuka	Nayagarh	-	65.60	1.50:1	3.60	340		-
82	Dahuka Right Embankment from Golagola to Khandugaon and Dahuka D/W	-	O.A.E.	-	-	5.50	Mahanadi	Dahuka	Nayagarh	-	78.10	1.50:1	3.60	610	2 Nos	-
83	Dahuka Left Embankment from Raipur to Daliמודা	-	O.A.E.	-	-	2.50	Mahanadi	Dahuka	Nayagarh	-	86.50	1.50:1	3.60	280		TBL under Design
84	Dahuka Left Embankment from Totasahi to Dahuka Diversion Weir.	-	O.A.E.	-	-	6.50	Mahanadi	Dahuka	Nayagarh	-	85.10	1.50:1	3.60	395	4 Nos	-
85	Dahuka Left Embankment from Dahuka Diversion Weir to P.W.D. Road	-	O.A.E.	-	-	1.50	Mahanadi	Dahuka	Nayagarh	-	72.50	1.50:1	3.60	730		-
86	Dahuka Left Embankment from Mahipur to Bhiruda	-	O.A.E.	-	-	0.90	Mahanadi	Dahuka	Nayagarh	-	87.50	1.50:1	3.60	350	3 Nos	-
87	Dahuka Left Embankment from PWD road to Saradhapur	-	O.A.E.	-	-	1.10	Mahanadi	Dahuka	Nayagarh	-	71.00	1.00:1	3.60			TBL,Side Slope & Top width are under Design
88	Dahuka Left Embankment near Champatipur	-	O.A.E.	-	-	0.30	Mahanadi	Dahuka	Nayagarh	-	65.50	1.50:1	3.60	180		-
89	Lunijhara Left Embankment near Barabati	-	O.A.E.	-	-	1.00	Mahanadi	Lunijhara	Nayagarh	-	65.20	1.50:1	3.00			Top width under Design
90	Lunijhara Left Embankment from Dihagaon to Balikudia	-	O.A.E.	-	-	2.20	Mahanadi	Lunijhara	Nayagarh	-	64.30	1.10:1	3.00	160		TBL,Side Slope & Top width are under Design
91	Lunijhara Left Embankment from Hariharpur to Champatipur	-	O.A.E.	-	-	4.50	Mahanadi	Lunijhara	Nayagarh	-	65.20	1.50:1	3.60	420		-
92	Lunijhara Left Embankment from Champatipur to Chandiprasad	-	O.A.E.	-	-	7.00	Mahanadi	Lunijhara	Nayagarh	-	61.50	1.50:1	3.60	240		-
93	Champatipur Ringbundh at Lunijhara left	-	O.A.E.	-	-	0.90	Mahanadi	Lunijhara	Nayagarh	-	61.50	1.50:1	3.60			-

Sl No.	Name of the Embankment	Category of the Embkt.				Length in Km.	Name of the Basin	Name of the River	District	Reach(Km)	Status of the Embankment(Reach wise)					Brief note on defficiency in embankment Parameters
		C.E	O.A.E	T.R.E	S.E						TBL(m)	Side Slope	Top Width (m)	Revt. Packing	Spur	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
94	Lunijhara Right Embankment from Barabati to Balikudia	-	O.A.E.	-	-	2.00	Mahanadi	Lunijhara	Nayagarh	-	63.50	1.50:1	3.60	185		-
95	Lunijhara Right Embankment from Balikudia to Champatipur Bridge	-	O.A.E.	-	-	4.50	Mahanadi	Lunijhara	Nayagarh	-	61.60	1.50:1	3.60	220		-
96	Lunijhara Right Embankment from Champatipur Bridge to Sanapandusar.	-	O.A.E.	-	-	3.00	Mahanadi	Lunijhara	Nayagarh	-	60.50	1.50:1	3.60	530		-
97	Baghamari Right Embankment from Malisahi to Jautukapatana	-	O.A.E.	-	-	1.50	Mahanadi	Baghama	Nayagarh	-	78.00	1.50:1	3.60	320	1 Nos	-
98	Baghamari Left Embankment from Kodiakahania, Kanchanbeli to Dahuka Diversion Weir.	-	O.A.E.	-	-	3.00	Mahanadi	Baghama	Nayagarh	-	73.50	1.50:1	3.60	180		-
99	Duanto Right Embankment from Tripura to Nuagaon	-	O.A.E.	-	-	1.50	Mahanadi	Duanto	Nayagarh	-	70.00	1.50:1	4.60	310		-
100	Duanto Right Embankment near Notar	-	O.A.E.	-	-	3.00	Mahanadi	Duanto	Nayagarh	-	70.00	1.50:1	3.60	290		-
101	Duanto Left Embankment from Gambharidihi to Deuli	-	O.A.E.	-	-	4.00	Mahanadi	Duanto	Nayagarh	-	70.00	1.50:1	3.60	330	2 Nos	-
102	Duanto Left Embankment from Deuli to Totasahi	-	O.A.E.	-	-	2.00		Duanto		-	69.50	1.50:1	3.60	295	1 Nos	-
103	Sulia left Embankment from Rajpatana to Lathipada	-	-	T.R.E	-	2.00	Mahanadi	Sulia	Nayagarh	-	62.20	1.50:1	3.00	360		Top width under Design

258.17